


**Plots 53 & 54**  
**Brent Terrace Triangles**  
**1:500@A1**



**Key**

- Root Protection Area of Trees to be retained
- Trees and vegetation to be removed for arboricultural reasons
- Trees for removal as a result of the development
- Tree Protective Fencing to BS 5837:2012.

**Notes**

Plan to be read in conjunction with following documents:

*Tree Survey, Arboricultural Impact Assessment, Arboricultural Method Statement and Tree Protection Plan in accordance with BS5837: 2012 prepared by Haydens Arboricultural Consultants*

*Survey of Schedule 9 Listed Invasive Weed Species prepared by Elcot Environmental*

All tree works should adhere to current best practice detailed within BS 5837: 2012 (Trees in relation to design, demolition and construction - recommendations)

For removal of existing trees within tree protective fencing areas and / or within Root Protection Areas of other trees, refer to Haydens Arboricultural Consultants' document listed above

Revision	Description	Drawn by	Checked by	Date
-	For Comment	GJ	JP	23.07.2014
A	3m offset line shown	GJ	IG	23.07.2014
B	left area shown with revision cloud	GJ	IG	24.07.2014
C	Updated architectural layout	GJ	IG	25.09.2014
D	Minor changes. Issued to Arboricultural Consultant	GJ	IG	21.10.2014
E	Issued for Phase 1AN RMA submission	GJ	IG	07.11.2014
F	Issued for Phase 1AN RMA submission	RH	JP	28.01.2015

This drawing is protected by copyright. Contractors must check all dimensions on site. Only figure dimensions are to be worked from. Discrepancies must be reported to architect before proceeding. Christopher House, 11-12 High Street, Bath, BA1 5AQ. Tel: 01225 464 490 e-mail: enquiries@macgregorsmith.co.uk



**Macgregor • Smith**  
 Landscape Architecture

project	Brent Cross Cricklewood	drawn by	GJ
status	Phase 1AN RMA Submission	checked by	JP
title	Brent Terrace Triangles Tree Retention and Removal	date	16.07.14
Xref	-	scale	1:500@A1
drawing No	1065-10-011	revision	<b>F</b>
















Vegetation removed under existing trees to open up access to stream. All works to be carried out manually and in accordance with BS5837:2012

Localised scrub clearance to allow planting enhancements for biodiversity value. Scrub clearance works to be carried out manually and in accordance with BS5837:2012

Localised scrub clearance to allow planting enhancements for biodiversity value. Scrub clearance works to be carried out manually and in accordance with BS5837:2012

