



Section 1:25



Planview 1:50



Notes

- 1** Semi-mature tree. To be supplied and planted in accordance with the specification. For species refer to separate planting plan.
- 2** 800-1000mm Ø root ball (tree size dependent).
- 3** Trees to be secured with Platipus 'Platimat' anchoring system fixed to tree anchors, as specified.
- 4** Greenleaf aeration/irrigation pipe, or similar approved, as specified.
- 5** Centre of tree pit to be marked with timber stake (Minimum 1500mm).
- 6** Topsoil as specified in adjacent planting area. Minimum 150mm deep for turfed areas and minimum 450mm for shrub and hedge planting.
- 7** Topsoil backfill to be laid as per specification.
- 8** Sides and base of tree pit to be loosened in accordance with the specification.
- 9** 300mm RH37 medium coarse washed sand, as specified.
- 10** 300mm pea gravel 5-7mm Ø as specified.
- 11** "Deadman" anchor.
- 12** *Greenleaf 2000* root barrier adjacent to services as required.
- 13** 50mm deep Premium Grade Bark Mulch - Pine Bark Melcourt Ornamental Grade, around all trees to be planted in grass areas.
- 14** 100mm Ø positive drainage connected to surface water drainage where ground conditions dictate

Revision	Description	Drawn by	Checked by	Date
-	Phase 1AN RMA Submission	RH	IG	07.11.14
A	Phase 1AN RMA Submission	RH	IG	14.11.14
B	Phase 1AN RMA Submission	RH	IG	28.11.14

**To be read in conjunction with
Macgregor Smith Base, Soft and Hard Landscape Specifications**



Macgregor • Smith
Landscape Architecture



project	Brent Cross Cricklewood	drawn by	RH
status	Phase 1AN RMA Submission	checked by	IG
title	Brent River Park Semi mature tree pit to soft	date	07.11.14
Xref	1065-03-000	scale	1:25@A3
drawing No	1065-03-403	revision	B