



Section 1:25



Planview 1:50



Notes

1. Semi-mature tree. To be supplied and planted in accordance with the specification. For species refer to separate planting plan.
2. 6-10mm loose gravel in 1000mm circle around tree trunk to aid drainage and watering. Held in place by flush metal edging.
3. Trees to be secured with Platipus 'Platimat' anchoring system fixed to tree anchors, as specified.
4. Green Blue Urban 'RootRain Civic' aeration pipe, or similar approved, as specified.
5. Centre of tree pit to be marked with timber stake (Minimum 1500mm).
6. Topsoil to adjacent planting area in accordance with specification.
7. Topsoil backfill to be laid as per specification.
8. Sides and base of tree pit to be loosened in accordance with the specification.
9. 300mm RH37 medium coarse washed sand, as specified.
10. 300mm pea gravel 5-7mm Ø as specified.
11. "Deadman" anchor.
12. Root barrier adjacent to services where required.
13. 75mm depth Cedec surfacing in 'Golden Gravel' colour or similar & approved. Ref 1065-03-445
14. Positive drainage connected to surface water drainage

Revision	Description	Drawn by	Checked by	Date	Macgregor • Smith Landscape Architecture				
A	Phase 1BN RMA Submission	JR	GG	03.03.17		project	Brent Cross Cricklewood Brent Riverside Park	drawn by	JR
B	Phase 1BN RMA Submission	JR	GG	29.03.17		status	Phase 1BN RMA Submission	checked by	GG
						title	Typical Tree Pit Detail Hard landscape - Cedec	date	01.03.17
						Xref	-	scale	1:25@A3
						drawing No	1065-03-441	revision	B

Note
 To be read in conjunction with Macgregor Smith Base and Soft Landscape Specification
 PLEASE SEE NOTES ATTACHED AT DRAWING NOTE Q1